



OFFICE

Rang Avdhut Society, BRTS Canal Road, Punagam, Surat.

FACTORY

Tirupati Balaji Estate, Surat To Kadodara Road,
Vareli, Dist. Surat.

Call : +91 98243 65375 | Office : +91 98792 97338

Email : sr_equipment65375@yahoo.com

Web : www.shivamref.com





Providing
**Innovative
Solutions**
with Guaranteed
Results

SR Equipment™

MFG. OF DISPLAY COUNTER

We are Serving Industry Needs with Innovation **Since 2009**

S.R. Equipments was incepted in the year 2009 by a visionary industrialist Mr. Jayesh Ambaliya. Thought the beginning was humble, dream and action made it possible to rise to a leadership level. With a clear focus to bring innovation to food & beverages industry, S.R. brand crafted display and kitchen equipments on the parameters of elegance, practicality and sustain ability.

Today, S.R. brand enjoys highest market shares in display and kitchen equipments industry of India and products are manufactured as per the strict guidelines of ISO 9001:2015. With latest technology and modern machineries a state of the art manufacturing facility at Surat, Each aspect of manufacturing process is handled and monitored by skilled and experienced manpower. All these together have helped brand S.R. to serve varied needs of more than 2500 plus customers satisfactorily.

S.R. offers customized display equipment for Sweet, Bakery, Namkeen, Fast - Food, Chat, Dry Fruit, Snacks, Panipuri, Sweet Corn, Ice-Cream and Shrikhand, Cake & Pastry Shops etc. increasingly prefer S.R. Products. This trust of various segments speak volumes of superior quality management in all aspects, whether it is about design, shape, pattern, space planning, internal temperature maintenance or external sturdiness of the equipment. This equipment is convenient and applicable for temperature-variance, i.e. refrigerated, heated and ambient display equipment.

**TRUSTED EXPERTS,
BETTER BUILD QUALITY &
YEARS OF EXPERIENCE**

“ S.R. IS ALL ABOUT QUALITY AND EXCELLENCE

Our quality products & committed pre and post sales service are our benchmark strength. Once an order is requested our team of analysts visits the installation site to comprehend your requirements and collect inputs significant for customization. On the basis of gathered data we design tailor-made layouts that can ideally co-exist with your demands and other variables such as space. Once you give us green signal on the layout, we proceed to manufacturing. All our products are manufactured using premium range material.

- 15+ products per day production capacity
- 40+ automatic and semi automatic machineries
- 2500+ satisfied customers
- 40+ experienced staff

Our Solutions



Engineering Design
& Development



Customer Satisfaction



Technical Competence



Affordable Ranges

SR Equipment™

MFG. OF DISPLAY COUNTER



AN ISO 9001 : 2015 CERTIFIED COMPANY

“ Our Clients



WE BUILD
RELATIONSHIP

ONE STOP SOLUTION FOR COOLING SYSTEM

12th
ANNIVERSARY
YEARS OF
EXCELLENCE



Shivam Refrigeration has a whole array of stylish and contemporary confectionery showcases. Our Confectionery showcases are suitable for upscale refrigerated display and retail of Cakes, Pastries, Indian Desserts, Dairy Products, Bakery Products, Beverages, Yogurt etc. Ideal for Hotels, Coffee Shops, Cafes, Pastry Shops, Sweet Shops, Restaurants and more. They are available in Cold, Hot and Normal version to give a uniform & attractive look to your Shop.

- Round Glass Confectionery Showcase
- Inclined Glass Confectionery Showcase
- Flat Glass Confectionery Showcase
- Curved Glass Confectionery Showcase
- Panoramic Confectionery Showcase
- Vertical Confectionery Showcase
- L Shape Confectionery Showcase
- Shrikhand-Matho Counter



DISPLAY COUNTER

ROUND GLASS CONFECTIONERY SHOWCASE



SALIENT FEATURES

- Striking appearance & creative design
- Maximum visibility for perfect presentation of Product on each shelves
- Modern LED Light under each Shelf
- Modern LED Light at front side with different color option
- Digital temperature controller & display
- High performance with low energy consumption
- Available in Toughened Glass
- Decorative Corian work available

TECHNICAL SPECIFICATIONS

PRODUCT	MODEL	DIMENSION	SYSTEM	TEMPERATURE	NO OF SHELVES	POWER (WATT)
COLD COUNTER	SR-RGV 5.0	60"x 27" x 63"	VENTILATED	+4°C / +8°C	BASE + 4	900 W
COLD COUNTER	SR-RGS 5.0	60"x 27" x 63"	STATIC	-2°C / -5°C	BASE + 4	900 W
HOT COUNTER	SR-RGH 5.0	60"x 27" x 63"	HOT	+40°C / +55°C	BASE + 4	1050 W
NORMAL COUNTER	SR-RGN 5.0	60"x 27" x 63"	NORMAL	Ambient	BASE + 4	100 W

INCLINED GLASS CONFECTIONERY SHOWCASE



SALIENT FEATURES

- Striking appearance & creative design
- Maximum visibility for perfect presentation of Product on each shelves
- Modern LED Light under each Shelf
- Modern LED Light at front side with different color option
- Digital temperature controller & display
- High performance with low energy consumption
- Available in DGU Glass & Toughened Glass

TECHNICAL SPECIFICATIONS

PRODUCT	MODEL	DIMENSION	SYSTEM	TEMPERATURE	NO OF SHELVES	POWER (WATT)
COLD COUNTER	SR-IGV4.0	48"x27"x48"	VENTILATED	+4°C / +8°C	BASE + 3	815 W
COLD COUNTER	SR-IGS4.0	48"x27"x48"	STATIC	-2°C / -5°C	BASE + 3	815 W
HOT COUNTER	SR-IGH4.0	48"x27"x48"	HOT	+40°C / +55°C	BASE + 3	1015 W
NORMAL COUNTER	SR-IGN4.0	48"x27"x48"	NORMAL	Ambient	BASE + 3	100 W

*Customization Available as per Client's Requirement

FLAT GLASS CONFECTIONERY SHOWCASE



SALIENT FEATURES

- Striking appearance & creative design
- Maximum visibility for perfect presentation of Product on each shelves
- Modern LED Light under each Shelf
- Modern LED Light at front side with different color option
- Digital temperature controller & display
- High performance with low energy consumption
- Available in DGU Glass & Toughened Glass
- Decorative Corian work available

TECHNICAL SPECIFICATIONS

PRODUCT	MODEL	DIMENSION	SYSTEM	TEMPERATURE	NO OF SHELVES	POWER (WATT)
COLD COUNTER	SR-FV 4.0	48"x27"x48"	VENTILATED	+4°C / +8°C	BASE + 3	815 W
COLD COUNTER	SR-FS 4.0	48"x27"x48"	STATIC	-2°C / -5°C	BASE + 3	815 W
HOT COUNTER	SR-FH 4.0	48"x27"x48"	HOT	+40°C / +55°C	BASE + 3	1015 W
NORMAL COUNTER	SR-FN 4.0	48"x27"x48"	NORMAL	AMBIENT	BASE + 3	100 W

*Customization Available as per Client's Requirement

CURVED GLASS CONFECTIONERY SHOWCASE



SALIENT FEATURES

- Striking appearance & creative design
- Maximum visibility for perfect presentation of Product on each shelves
- Modern LED Light under each Shelf
- Modern LED Light at front side with different color option
- Digital temperature controller & display
- High performance with low energy consumption
- Decorative Corian work available

TECHNICAL SPECIFICATIONS

PRODUCT	MODEL	DIMENSION	SYSTEM	TEMPERATURE	NO OF SHELVES	POWER (WATT)
COLD COUNTER	SR-CV 4.0	48"x27"x48"	VENTILATED	+4°C / +8°C	BASE + 3	815 W
COLD COUNTER	SR-CS 4.0	48"x27"x48"	STATIC	-2°C / -5°C	BASE + 3	815 W
HOT COUNTER	SR-CH 4.0	48"x27"x48"	HOT	+40°C / +55°C	BASE + 3	1015 W
NORMAL COUNTER	SR-CN 4.0	48"x27"x48"	NORMAL	AMBIENT	BASE + 3	100 W

*Customization Available as per Client's Requirement



PANORAMIC CONFECTIONERY SHOWCASE



SALIENT FEATURES

- Striking appearance & creative design
- Maximum visibility for perfect presentation of Product on each shelves
- Digital temperature controller & display
- High performance with low energy consumption
- Four Side DGU Glass
- Adjustable Shelves
- LED light fitted vertically in all four corner
- Decorative Corian work available

TECHNICAL SPECIFICATIONS

PRODUCT	MODEL	DIMENSION	SYSTEM	TEMPERATURE	NO OF SHELVES	POWER (WATT)
PANORAMIC COLD COUNTER	SR-PV2.5	27"x27"x72"	VENTILATED	+4°C / +8°C	BASE + 4	815 W

*Available in Cold, Hot & Normal Temperature



VERTICAL CONFECTIONERY SHOWCASE



SALIENT FEATURES

- Striking appearance & creative design
- Maximum visibility for perfect presentation of Product on each shelves
- Modern LED Light under each Shelf
- Modern LED Light at front side with different color option
- Digital temperature controller & display
- High performance with low energy consumption
- Two Side DGU or Toughen Glass
- Adjustable Shelves
- Decorative Corian work available


TECHNICAL SPECIFICATIONS

PRODUCT	MODEL	DIMENSION	SYSTEM	TEMPERATURE	NO OF SHELVES	POWER (WATT)
VERTICAL COLD COUNTER	SR-VCS 4.0	48"x24"x84"	VENTILATED	+4°C / +8°C	BASE + 4	1255 W

*Available in Cold, Hot & Normal Temperature

L SHAPE CONFECTIONERY SHOWCASE

These L Shape Confectionery Showcaseare Comes in L Shape for better viewing of Product displayed in machine & Space saving of Corner which is unused in the regular counter. These Perfectly shaped Counter gives your shop a stunning look in less space.



SALIENT FEATURES

- Striking appearance & creative design
- Maximum visibility for perfect presentation of Product on each shelves
- Modern LED Light under each Shelf
- Modern LED Light at front side with different color option
- Digital temperature controller & display
- High performance with low energy consumption
- Available in Toughened Glass
- Decorative Corian work available

TECHNICAL SPECIFICATIONS

PRODUCT	MODEL	DIMENSION	SYSTEM	TEMPERATURE	NO OF SHELVES	POWER (WATT)
COLD COUNTER	SR-LSV 6.1	72"x27"+72"x27" x 48"	VENTILATED	+4°C / +8°C	BASE + 2	2000 W
COLD COUNTER	SR-LSS 6.1	72"x27"+72"x27" x 48"	STATIC	-2°C / -5°C	BASE + 2	2000 W
HOT COUNTER	SR-LSH 6.1	72"x27"+72"x27" x 48"	HOT	+40°C / +55°C	BASE + 2	3000 W
NORMAL COUNTER	SR-LSN 6.1	72"x27"+72"x27" x 48"	NORMAL	AMBIENT	BASE + 2	200 W

*Customization Available as per Client's Requirement

SHRIKHAND-MATHO COUNTER



SALIENT FEATURES

- Striking appearance & creative design
- Maximum visibility for perfect presentation of Product on each Bowl
- Modern LED Light Fitted Inside
- Modern LED Light at front side with different color
- Digital temperature controller & display
- High performance with low energy consumption
- Decorative Corian work available
- Static Cooling

TECHNICAL SPECIFICATIONS

PRODUCT	MODEL	DIMENSION	DISPLAY BOWL	TEMPERATURE	POWER (WATT)
SHRIKHAND MATHO COUNTER WITH UPPER & LOWER DECK	SR-SMUL 3.0	36"x27"x48"	9 BOWL	-5°C / +8°C	815 W
SHRIKHAND MATHO COUNTER WITH UPPER & LOWER DECK	SR-SMUL 4.0	48"x27"x48"	12 BOWL	-5°C / +8°C	1150 W
SHRIKHAND MATHO COUNTER WITH UPPER & LOWER DECK	SR-SMUL 5.0	60"x27"x48"	15 BOWL	-5°C / +8°C	1265 W

*Customization Available as per Client's Requirement





SHRIKHAND-MATHO COUNTER WITH BOTTOM STORAGE



SALIENT FEATURES

- Striking appearance & creative design
- Maximum visibility for perfect presentation of Product on each Bowl
- Modern LED Light Fitted Inside
- Modern LED Light at front side with different color
- Digital temperature controller & display
- High performance with low energy consumption
- Decorative Corian work available
- Static Cooling

TECHNICAL SPECIFICATIONS

PRODUCT	MODEL	DIMENSION	DISPLAY BOWL	TEMPERATURE	POWER (WATT)
SHRIKHAND MATHO COUNTER WITH BOTTOM STORAGE	SR-SMBS 3.0	36"x27"x48"	6 BOWL	-5°C / +8°C	815 W
SHRIKHAND MATHO COUNTER WITH BOTTOM STORAGE	SR-SMBS 4.0	48"x27"x48"	8 BOWL	-5°C / +8°C	1150 W
SHRIKHAND MATHO COUNTER WITH BOTTOM STORAGE	SR-SMBS 5.0	60"x27"x48"	10 BOWL	-5°C / +8°C	1265 W

*Customization Available as per Client's Requirement



VERTICAL GLASS DISPLAY REFRIGERATOR



These Verticals are available as Chillers or Freezers, and come with single & double door options. Available in a choice of two refrigeration systems - Ventilated or Static with fan.

SALIENT FEATURES

- SS AISI 304 Internal & External panels
- For Refrigerator Models : Temp Range -2°C to 10°C
- For Freezer Models : Temp Range -18°C to -22°C
- Large Storage area suitable to contain adjustable SS wire mesh shelves
- Self Closing Glass Doors with Magnetic Gasket
- Digital temperature controller
- High performance with low energy consumption
- Customization available as per client's requirement

TECHNICAL SPECIFICATIONS

PRODUCT	MODEL	DIMENSION	CAPACITY	POWER (WATT)
SINGLE DOOR GLASS VERTICAL	SR-VGR 1.0	27"x27"x83"	450 ltr	400 W
DOUBLE DOOR GLASS VERTICAL	SR-VGR 2.0	48"x27"x83"	900 ltr	600 W

*Customization Available as per Client's Requirement

VERTICAL REFRIGERATOR



These Verticals are available as Chillers or Freezers, and come with 2 or 4 door options. Available in a choice of two refrigeration systems - Ventilated or Static with fan.

SALIENT FEATURES

- SS AISI 304 Internal & External panels
- For Refrigerator Models : Temp Range -2°C to 10°C
- For Freezer Models : Temp Range -18°C to -22°C
- Large Storage area suitable to contain 1/1 GN Pan & adjustable SS wire mesh shelves
- Self Closing Doors with Magnetic Gasket
- Digital temperature controller
- High performance with low energy consumption

TECHNICAL SPECIFICATIONS

PRODUCT	MODEL	DIMENSION	CAPACITY	POWER (WATT)
TWO DOOR VERTICAL	SR-VR 2.0	27"x27"x83"	450 ltr	400 W
FOUR DOOR VERTICAL	SR-VR 4.0	48"x27"x83"	900 ltr	600 W
TWO DOOR VERTICAL (GN PAN COMPITABLE)	SR-VR 2.1	27"x32"x83"	600 ltr	475 W
FOUR DOOR VERTICAL (GN PAN COMPITABLE)	SR-VR 4.1	53"x32"x83"	1100 ltr	675 W

*Customization Available as per Client's Requirement

UNDER COUNTER



These Under counter are available as Chillers or Freezers, and come with 2 or 3 door options. Available in a choice of two refrigeration systems - Ventilated or Static with fan.

SALIENT FEATURES

- SS AISI 304 Internal & External panels
- For Refrigerator Models : Temp Range -2 to 10C
- For Freezer Models : Temp Range -18 to -22C
- Large Storage area to contain adjustable SS wire mesh shelves
- Self Closing Doors with Magnetic Gasket
- Digital temperature controller
- High performance with low energy consumption

TECHNICAL SPECIFICATIONS

PRODUCT	MODEL	DIMENSION	CAPACITY	POWER (WATT)
TWO DOOR UNDERCOUNTER	SR-UR 2.0	54"x27"x33"	282 ltr	300 W
THREE DOOR UNDERCOUNTER	SR-UR 3.0	72"x27"x33"	417 ltr	450 W

*Customization Available as per Client's Requirement

PREPARATION COUNTER



Preparation Counters with static cooling come in 2 & 3 door variants and It is useful for the preparation of pizzas, salads, starters, sandwiches, desserts and more.

SALIENT FEATURES

- SS AISI 304 Internal & External panels
- For Refrigerator Models : Temp Range -2 to 10C
- Large Storage area to contain adjustable SS wire mesh shelves
- Self Closing Doors with Magnetic Gasket
- Digital temperature controller
- Suitable for GN Pan 1/6 & 1/9 x 100mm on their deck
- High performance with low energy consumption
- Customization available as per client's requirement

TECHNICAL SPECIFICATIONS

PRODUCT	MODEL	DIMENSION	CAPACITY	POWER (WATT)
TWO DOOR PREPCOUNTER	SR-PC 2.0	54"x27"x39"	282 ltr	450 W
THREE DOOR PREPCOUNTER	SR-PC 3.0	72"x27"x39"	417 ltr	600 W

*Customization Available as per Client's Requirement

WATERCOOLER



SALIENT FEATURES

- SS AISI 304 Internal & External panels
- No Rusting & Corrosion
- Faster Cooling & Silent Operation
- Longer Life & Eco Friendly
- Heavy Duty Compressor with High efficiency
- Food Grade SS Tank & Body
- High performance with low energy consumption
- Customization available as per client's requirement

TECHNICAL SPECIFICATIONS

MODEL	CAPACITY		DIMENTION L X W X H	NO. OF TAP	CURRENT (AMP)
	COOLING	STORAGE			
SS 15/15	15	15	14 x 14 x 27	1	2 amp
SS 20/20	20	20	15 x 14 x 43	1	2 amp
SS 20/40	20	40	17 x 17 x 48	1	2 amp
SS 40/40	40	40	17 x 17 x 48	2	2.5 amp
SS 40/80	40	80	23 x 19 x 48	2	2.5 amp
SS 60/120	60	120	27 x 22 x 48	2	3.6 amp
SS 150/150	150	150	28 x 22 x 52	2	7.5 amp
SS 200/400	200	400	47 x 48 x 56	4	9 amp

KITCHEN EQUIPMENT

WORK COUNTER



WORKTABLE



WORKTABLE WITH SINK




BARBEQUE COUNTER



HOT BAINMARIE



CHAT COUNTER



CASH COUNTER

COOKING RANGE



INDIAN GAS RANGE



CHINESE GAS RANGE



CONTINENTAL GAS RANGE



DHOSA PLATE



CHAPATI PLATE WITH PUFFER



TANDOOR

FAST FOOD



DEEP FRYER



SANDWICH GRILLER



PIZZA OVEN



INDUCTION PLATE



MICROWAVE OVEN



SALAMANDER

CAFÉ



ICE MACHINE



COFFEE MACHINE



SOFTY MACHINE



BAR BLENDER



COFFEE BEANS GRINDER



JUICER

BAKERY



PLANETARY MIXER



DECK OVEN



BREAD SLICER



SPIRAL MIXER



WET GRINDER



PULVERISER

REFRIGERATION EQUIPMENT



CHEST FREEZER



GLASS TOP FREEZER



WATER DISPENSER



VISI COOLER



MINI BAR



COLDROOM

WASH AREA



THREE SINK UNIT



DUMPING TABLE



DISH WASHER



SHELF RACK



POT RACK



WALL SHELF



PIPE SHELF